



DEWAN

DEWAN ENGINEERING WORKS
THREE ROLL THREAD ROLLING MACHINE

DEWAN Thread Rolling Machine , A 2nd Generation family business that fully dedicate serve the almost every industries with Thread Roll solutions & provides services worldwide, well equipped workstation at Rudra Enclave Prem Nagar, Industries Area –C Village Lohra, Ludhiana- Punjab (INDIA) with skilled team that provide and assemble every product with proven results DEWAN Thread Rolling Machine is established as an independent of Dewan Chand & Sons in 1993 &

M. No. 9815084175, 9878884175
E-mail :- dewanengineeringworks@yahoo.com

www.dewanengineeringworks.com

DEW-25 TR Thread Rolling Machine 3 Roll



Rolling Pressure	10 Ton
Pipe (Tube) Outside Diameter Range	Ø 12 To 30mm
Rank Of Pitch Rolles	0.5-2.5P / 48-10 TPI
Maximum Thru- Feed Thread Length	Unlimited (free extension thread length)
Die Spindle Diameter	25.4mm
Max. Outside Diameter	80mm
Max. Rolling Dies width	40mm.
Die Spindle Main Drive Motor	2 HP
Hydraulic Motor	3 HP
Coolant System	1/8 HP
Machine net weight (approx)	800 Kg

DEW-50 TR Thread Rolling Machine 3 Roll




Rolling Pressure	20 Ton
Pipe (Tube) Outside Diameter Range	Ø 16 To 40mm
Rank Of Pitch Rolles	1-6P / 24-4 TPI
Maximum Thru- Feed Thread Length	Unlimited (free extension thread length)
Die Spindle Diameter	40mm
Max. Outside Diameter	120mm
Max. Rolling Dies width	50mm.
Die Spindle Main Drive Motor	3 HP
Hydraulic Motor	5 HP
Coolant System	1/8 HP
Machine net weight (approx)	1800 Kg

DEWAN

DEWAN

DEW-75 TR Thread Rolling Machine 3 Roll



Rolling Pressure	Adjustable 20 Ton
Pipe (Tube) Outside Diameter Range	Ø 26 To 65mm
Rank Of Pitch Rolles	2-8P/ 12-3 TPI
Maximum Thru- Feed Thread Length	Unlimited (free extension thread length)
Die Spindle Diameter (3 piece roller spindle)	54mm
Max. Outside Diameter	170mm
Max. Rolling Dies width	100mm Max.
Die Spindle Main Drive Motor	3 HP
Hydraulic Motor	7.5 HP
Coolant System	1/4 HP
Machine net weight (approx)	3200 Kg

DEW-100 TR Thread Rolling Machine 3 Roll



DEWAN

DEWAN

Rolling Pressure	Adjustable 30 Ton
Pipe (Tube) Outside Diameter Range	Ø 32 To 100mm
Rank Of Pitch Rolles	9P
Maximum Thru- Feed Thread Length	Unlimited (free extension thread length)
Die Spindle Diameter (3 piece roller spindle)	69.85mm
Max. Outside Diameter	200mm
Max. Rolling Dies width	120MM.
Die Spindle Main Drive Motor	5 HP
Hydraulic Motor	10 HP
Coolant System	1-1/4 HP
Machine net weight (approx)	3700 Kg

DEW-125 TR Thread Rolling Machine 3 Roll



Rolling Pressure	Adjustable 40 Ton
Pipe (Tube) Outside Diameter Range	Ø 32 To 125mm
Rank Of Pitch Rolles	2.5P/ 12.5 TPI
Maximum Thru- Feed Thread Length	Unlimited (free extension thread length)
Die Spindle Diameter (3 piece roller spindle)	80mm
Max. Outside Diameter	220mm
Max. Rolling Dies width	150MM.
Die Spindle Main Drive Motor	15 HP 960 RPM
Hydraulic Motor	7.5 HP
Coolant System	1-1/4 HP
Machine net weight (approx)	5300 Kg